INDEX
TO
VOLUME XXXXI, 2006
AUTHOR INDEX

Addy, V. L.	The Impact of Sebaceous Grease on the Leather Industry	45
Ahlstrom, L. H.	An Ultrasound-Assisted Extraction Procedure for the Determination of Banned Azo Dyes in Leather	355
Aishwarya, S.	Degradation of Goatskins - A Detailed Study on Physiochemical, Biochemical, Microbial, and Histopathological Changes at Ambient Conditions	51
Alonso, S.	Infrared Drying: A Leather Finishing Application	105
Anandhi, C.	Single Step Hair Removal and Fiber Opening Process: Simultaneous and Successive Addition of Protease and a-Amylase	388
Aravindhan, R.	Tannic Acid-Phosphonium Combination: A Versatile Chrome-free Organic Tanning	161
Aravindhan, R.	Utilization of Calcium Alginate Beads as Adsorbent for Removal of Dyes from Tannery Wastewaters	223
Aravindhan, R.	Interaction of Aluminum and Hydrolysable Tannin Polyphenols: An Approach to Understanding the Mechanism of Aluminum Vegetable Combination Tannage	317
Ashby, R.	Environmental Effects on Chrome-free Leather	368
Bacardit, A.	Study of a Chrome Tanning Process without Float and with Low Salt Content Compared to a Traditional Process. Part I.	254
Bacardit, A.	Study of Chrome Tanning Process without Float and with Low-Salt Content as Compared to a Traditional Process. Part II	454
Balakrishnan, P. A.	Sulphide Free Unhairing - Studies on Ozone Based Depilation	231
Banaszak, S.	Oxidative Unhairing of Leathers: Influence of Several Process Parameters and Environmental Improvements	347
Bartoli, E.	Oxidative Unhairing of Leathers: Influence of Several Process Parameters and Environmental Improvements	347
Bayramoglu, E.	Determining the Useability of Photosensitizers as Biocides in the Soaking Process	66
Bayramoglu, E.	Ecological and Innovative Fungicide for the Leather Industry: Essential Oil of *Origanum Multiflorum*	96
Bharath, C. K.	Single Step Hair Removal and Fiber Opening Process: Simultaneous and Successive Addition of Protease and a-Amylase	388
Blumanlag, L.	Use of Enzymatically Modified Gelatin and Casein as Fillers in Leather Processing	169
Borras, M. D.	Oxidative Unhairing of Leathers: Influence of Several Process Parameters and Environmental Improvements	347
Brown E. M.	Use of Enzymatically Modified Gelatin and Casein as Fillers in Leather Processing	169
Brown, E. M.	Preparation and Characterization of Biopolymers Derived from Enzymatically Modified Gelatin and Whey	235
Brown, E. M.	The Effect of Ultrasound on Bovine Hide Collagen Structure	274
Brown, E. M.	Effect of Genipin on the Thermal Stability of Hide Powder	362

INDEX
TO
VOLUME XXXXI, 2006
AUTHOR INDEX

Addy, V. L.	The Impact of Sebaceous Grease on the Leather Industry	45
Ahlstrom, L. H.	An Ultrasound-Assisted Extraction Procedure for the Determination of Banned Azo Dyes in Leather	355
Aishwarya, S.	Degradation of Goatskins - A Detailed Study on Physiochemical, Biochemical, Microbial, and Histopathological Changes at Ambient Conditions	51
Alonso, S.	Infrared Drying: A Leather Finishing Application	105
Anandhi, C.	Single Step Hair Removal and Fiber Opening Process: Simultaneous and Successive Addition of Protease and a-Amylase	388
Aravindhan, R.	Tannic Acid-Phosphonium Combination: A Versatile Chrome-free Organic Tanning	161
Aravindhan, R.	Utilization of Calcium Alginate Beads as Adsorbent for Removal of Dyes from Tannery Wastewaters	223
Aravindhan, R.	Interaction of Aluminum and Hydrolysable Tannin Polyphenols: An Approach to Understanding the Mechanism of Aluminum Vegetable Combination Tannage	317
Ashby, R.	Environmental Effects on Chrome-free Leather	368
Bacardit, A.	Study of a Chrome Tanning Process without Float and with Low Salt Content Compared to a Traditional Process. Part I.	254
Bacardit, A.	Study of Chrome Tanning Process without Float and with Low-Salt Content as Compared to a Traditional Process. Part II	454
Balakrishnan, P. A.	Sulphide Free Unhairing - Studies on Ozone Based Depilation	231
Banaszak, S.	Oxidative Unhairing of Leathers: Influence of Several Process Parameters and Environmental Improvements	347
Bartoli, E.	Oxidative Unhairing of Leathers: Influence of Several Process Parameters and Environmental Improvements	347
Bayramoglu, E.	Determining the Useability of Photosensitizers as Biocides in the Soaking Process	66
Bayramoglu, E.	Ecological and Innovative Fungicide for the Leather Industry: Essential Oil of *Origanum Multiflorum*	96
Bharath, C. K.	Single Step Hair Removal and Fiber Opening Process: Simultaneous and Successive Addition of Protease and a-Amylase	388
Blumanlag, L.	Use of Enzymatically Modified Gelatin and Casein as Fillers in Leather Processing	169
Borras, M. D.	Oxidative Unhairing of Leathers: Influence of Several Process Parameters and Environmental Improvements	347
Brown E. M.	Use of Enzymatically Modified Gelatin and Casein as Fillers in Leather Processing	169
Brown, E. M.	Preparation and Characterization of Biopolymers Derived from Enzymatically Modified Gelatin and Whey	235
Brown, E. M.	The Effect of Ultrasound on Bovine Hide Collagen Structure	274
Brown, E. M.	Effect of Genipin on the Thermal Stability of Hide Powder	362

Bryant, S. D. Appplication of Molecular Techniques to Identify Bacteria Isolated from the Leather Industry 140

Chakrabarti, S. Sulphide Free Unhairing - Studies on Ozone Based Depilation 231

Chandra Babu, N. K. High Exhaust Chrome-Aluminum Combination Tanning: Part I. Optimization of Tanning 86

Chandra Babu, N. K. Efficient Salt Recovery and Total Dissolved Solids Reduction in Leather Processing 117

Chandra Babu, N. K. Azardirachta Indica: A Green Material for Curing of Hides and Skins in Leather Processing. 266

Chandrasekaran, B. A. A New Leather-making Process for Meeting Eco-label Standards: Processing of Goatskins 192

Chandrasekaran, B. A. Single Step Hair Removal and Fiber Opening Process: Simultaneous and Successive Addition of Protease and a-Amylase 388

Chandrebabu, N. Studies on the Influence of Proteolytic Enzymes in Leather Dyeing 435

Chitra, K. Evaluation of Sludge Behavior in Upflow Anaerobic Sludge Blanket Reactor for Tannery Wastewater Treatment. 18

Chitra, P. Studies on the Influence of Proteolytic Enzymes in Leather Dyeing 435

Cooke, P. The Effect of Ultrasound on Bovine Hide Collagen Structure 274

Cooke, P. Effects of Stretching and Drying Rate on the Mechanical Properties of Chrome-Free Leather 330

Costa, J. Study of a Chrome Tanning Process without Float and with Low Salt Content Compared to a Traditional Process. Part I. 254

Costa, J. Study of Chrome Tanning Process without Float and with Low-Salt Content as Compared to a Traditional Process. Part II 454

Didato, D. Alternative Solutions for Fungal Protection of Packaged Wet Blue 461

Ding, K. The Composition Analysis of Organic Acid Masked Aluminum Tanning Solutions by Ferron Assay and GFC. 260

Ding, K. Effect of Genipin on the Thermal Stability of Hide Powder 362

Ding, K. Environmental Effects on Chrome-free Leather 368

Ding, K. Composition and Structural Analysis of Organic Acid Masked Aluminum Tanning Solutions Using ^{27}Al NMR 381

Dorstewitz R. The Autosplit and the most Favorable Process Stage for Splitting Hides 287

Dudley, R. L. Rapid Oxidative Deharing with Magnesium Peroxide and Potassium Peroxymonosulfate 324

Dudley, R. L. The Oxidative Degradation of Keratin (Wool and Bovine Hair) 408

Fathima, N. N. Utilization of Calcium Alginate Beads as Adsorbent for Removal of Dyes from Tannery Wastewaters 223

Gehring, A. G. Rapid Oxidative Deharing with Magnesium Peroxide and Potassium Peroxymonosulfate 324

Germann, H. P. Study of a Chrome Tanning Process without Float and with Low Salt Content Compared to a Traditional Process. Part I. 254

Germann, H-P. Study of Chrome Tanning Process without Float and with Low-Salt Content as Compared to a Traditional Process. Part II 454

Gilbert, G. Evidence for Adsorbable Organic Halides in the Beamhouse, Tanning, and Post Tanning Processing of Ovine Skin. 1

Gulumser, G. Ecological and Innovative Fungicide for the Leather Industry: Essential Oil of *Origanum Multiflorum* 96

He,Q. Biodegradability of Wastewater from Enzymatic Soaking and Unhairing Processes

	in Leather Manufacture	217
Hyllengren, L.	Appplication of Molecular Techniques to Identify Bacteria Isolated from the Leather Industry	140
Jawahar, M.	Studies on the Influence of Proteolytic Enzymes in Leather Dyeing	435
Jayameenakshi, R.	Degradation of Goatskins - A Detailed Study on Physiochemical, Biochemical, Microbial, and Histopathological Changes at Ambient Conditions	51
Jons, S.	Infrared Drying: A Leather Finishing Application	105
Kanth, S.	Studies on the Influence of Proteolytic Enzymes in Leather Dyeing	435
Kanth, S.	Studies on the Stabilization of Collagen using Dialdehyde Starch: Part I. Effect of Autoclaving on Dialdehyde Starch	444
Karaboz, I.	Ecological and Innovative Fungicide for the Leather Industry: Essential Oil of *Origanum Multiflorum*	96
Kardasli, I.	Residual COD Reduction in Biologically Treated Leather Tanning Effluents by Advanced Treatment Processes	123
Kolomaznik, K.	Development of a Control Algorithm for the Optimized Soaking of Cured Hides	309
Langridge, D. A.	The Impact of Sebaceous Grease on the Leather Industry	45
Latona, N.	P.Lubrication of Leather with Mixtures of PEG and Oil	132
Latona N. P.	Effects of Stretching and Drying Rate on the Mechanical Properties of Chrome-Free Leather	330
Latona, N. P.	Environmental Effects on Chrome-free Leather	368
Liu, C. K	Lubrication of Leather with Mixtures of PEG and Oil	132
Liu, C. K.	Effects of Stretching and Drying Rate on the Mechanical Properties of Chrome-Free Leather	330
Liu, C. K.	Environmental Effects on Chrome-free Leather	368
Liu, J.	The Composition Analysis of Organic Acid Masked Aluminum Tanning Solutions by Ferron Assay and GFC	260
Liu, J.	Composition and Structural Analysis of Organic Acid Masked Aluminum Tanning Solutions Using ^{27}Al NMR	381
Long, A. J.	The Impact of Sebaceous Grease on the Leather Industry	45
Madhan, B.	Interaction of Aluminum and Hydrolysable Tannin Polyphenols: An Approach to Understanding the Mechanism of Aluminum Vegetable Combination Tannage	317
Madhan, B.	Studies on the Influence of Proteolytic Enzymes in Leather Dyeing	435
Madhan, B.	Studies on the Stabilization of Collagen using Dialdehyde Starch: Part I. Effect of Autoclaving on Dialdehyde Starch	444
Maffia, G. J.	The Effect of Ultrasound on Bovine Hide Collagen Structure	274
Manich, A. M.	Influence of Retanning and Fatliquoring Processes on the Characteristics of Goatskins	399
Marmer, W. A.	Rapid Oxidative Deharing with Magnesium Peroxide and Potassium Peroxymonosulfate	324
Marmer, W. N.	Use of Enzymatically Modified Gelatin and Casein as Fillers in Leather Processing	169
Marmer, W. N.	Preparation and Characterization of Biopolymers Derived from Enzymatically Modified Gelatin and Whey	235
Marmer, W. N.	The Oxidative Degradation of Keratin (Wool and Bovine Hair)	408
Marsal, A.	Influence of Retanning and Fatliquoring Processes on the Characteristics of Goatskins	399

Mathiasson, L. An Ultrasound-Assisted Extraction Procedure for the Determination of Banned Azo Dyes in Leather 355

Maxwell, C. A. X-ray Studies of a Collagen Material for Leather Production Treated with Chromium Salt 9

Mazenko, C. E. Rapid Oxidative Deharing with Magnesium Peroxide and Potassium Peroxymonosulfate 324

Mentes Colak, S. Determining the Useability of Photosensitizers as Biocides in the Soaking Process 66

Molnar, F. Computer Modelling of a Type-I Collagen Fibril in Water. I. Model Development and Validation 179

Morera, J. M. Study of a Chrome Tanning Process without Float and with Low Salt Content Compared to a Traditional Process. Part I. 254

Morera, J. M. Oxidative Unhairing of Leathers: Influence of Several Process Parameters and Environmental Improvements 347

Morera, J. M. Study of Chrome Tanning Process without Float and with Low-Salt Content as Compared to a Traditional Process. Part II 454

Muralidharan, C. Sulphide Free Unhairing - Studies on Ozone Based Depilation 231

Nair, B. U. Utilization of Calcium Alginate Beads as Adsorbent for Removal of Dyes from Tannery Wastewaters 223

Nair, B. U. Interaction of Aluminum and Hydrolysable Tannin Polyphenols: An Approach to Understanding the Mechanism of Aluminum Vegetable Combination Tannage 317

Nair B. U. Single Step Hair Removal and Fiber Opening Process: Simultaneous and Successive Addition of Protease and a-Amylase 388

Nair, B. U. Studies on the Stabilization of Collagen using Dialdehyde Starch: Part I. Effect of Autoclaving on Dialdehyde Starch 444

Nishad Fathima, N. Wet White Leather Processing: A New Combination Tanning System 58

Nishad Fathima, N. Tannic Acid-Phosphonium Combination: A Versatile Chrome-free Organic Tanning 161

Olle, L. Study of a Chrome Tanning Process without Float and with Low Salt Content Compared to a Traditional Process. Part I. 254

Olle, L. Study of Chrome Tanning Process without Float and with Low-Salt Content as Compared to a Traditional Process. Part II 454

Olmez, T. Residual COD Reduction in Biologically Treated Leather Tanning Effluents by Advanced Treatment Processes 123

Oppong, D Appplication of Molecular Techniques to Identify Bacteria Isolated from the Leather Industry 140

Palop, R. Influence of Retanning and Fatliquoring Processes on the Characteristics of Goatskins 399

Preethi, V. Degradation of Goatskins - A Detailed Study on Physiochemical, Biochemical, Microbial, and Histopathological Changes at Ambient Conditions 51

Preethi, V. Efficient Salt Recovery and Total Dissolved Solids Reduction in Leather Processing 117

Preethi, V. Azardirachta Indica: A Green Material for Curing of Hides and Skins in Leather Processing. 266

Prem Kumar, T. Wet White Leather Processing: A New Combination Tanning System 58

Prokopova, Z. Development of a Control Algorithm for the Optimized Soaking of Cured Hides 309

Radwell, D. Appplication of Molecular Techniques to Identify Bacteria Isolated from the Leather Industry 140

Raghava Rao, J. Wet White Leather Processing: A New Combination Tanning System 58

Raghava Rao, J. High Exhaust Chrome-Aluminum Combination Tanning: Part I. Optimization of Tanning 86

Raghava Rao, J. Tannic Acid-Phosphonium Combination: A Versatile Chrome-free Organic Tanning 161

Raghava Rao, J. A New Leather-making Process for Meeting Eco-label Standards: Processing of Goatskins 192

Raghava Rao, J. Utilization of Calcium Alginate Beads as Adsorbent for Removal of Dyes from Tannery Wastewaters 223

Raghava Rao, J. Interaction of Aluminum and Hydrolysable Tannin Polyphenols: An Approach to Understanding the Mechanism of Aluminum Vegetable Combination Tannage 317

Raghava Rao, J. Single Step Hair Removal and Fiber Opening Process: Simultaneous and Successive Addition of Protease and a-Amylase 388

Raghava Rao, J. Studies on the Stabilization of Collagen using Dialdehyde Starch: Part I. Effect of Autoclaving on Dialdehyde Starch 444

Rajamani, S. Evaluation of Sludge Behavior in Upflow Anaerobic Sludge Blanket Reactor for Tannery Wastewater Treatment 18

Ramasami, T. High Exhaust Chrome-Aluminum Combination Tanning: Part I. Optimization of Tanning 86

Ramasami, T. Studies on the Stabilization of Collagen using Dialdehyde Starch: Part I. Effect of Autoclaving on Dialdehyde Starch 444

Ramesh, R. Efficient Salt Recovery and Total Dissolved Solids Reduction in Leather Processing 117

Ramesh, T. Evaluation of Sludge Behavior in Upflow Anaerobic Sludge Blanket Reactor for Tannery Wastewater Treatment 18

Rangarajan, R. Appplication of Molecular Techniques to Identify Bacteria Isolated from the Leather Industry 140

Rangarajan, R. Alternative Solutions for Fungal Protection of Packaged Wet Blue 461

Rathinasamy, V. Azardirachta Indica: A Green Material for Curing of Hides and Skins in Leather Processing 266

Ravindranath, E. Evaluation of Sludge Behavior in Upflow Anaerobic Sludge Blanket Reactor for Tannery Wastewater Treatment 18

Ravi Kumar, D. Wet White Leather Processing: A New Combination Tanning System 58

Riva, M. C. Evidence for Adsorbable Organic Halides in the Beamhouse, Tanning, and Post Tanning Processing of Ovine Skin 1

Sadulla, S. Interaction of Aluminum and Hydrolysable Tannin Polyphenols: An Approach to Understanding the Mechanism of Aluminum Vegetable Combination Tannage 317

Sadulla, S. Studies on the Influence of Proteolytic Enzymes in Leather Dyeing 435

Sadulla, S. Studies on the Stabilization of Collagen using Dialdehyde Starch: Part I. Effect of Autoclaving on Dialdehyde Starch 444

Saravanabhavan, S. A New Leather-making Process for Meeting Eco-label Standards: Processing of Goatskins 192

Saravanabhavan, S. Single Step Hair Removal and Fiber Opening Process: Simultaneous and Successive Addition of Protease and a-Amylase 388

Sehgal, P. K. Degradation of Goatskins - A Detailed Study on Physiochemical, Biochemical, Microbial, and Histopathological Changes at Ambient Conditions 51

Sehgal, P. K. Efficient Salt Recovery and Total Dissolved Solids Reduction in Leather Processing 117

Sehgal, P. K. Azardirachta Indica: A Green Material for Curing of Hides and Skins in Leather Processing 266

Senthil Kumar, M. Degradation of Goatskins - A Detailed Study on Physiochemical, Biochemical, Microbial, and Histopathological Changes at Ambient Conditions 51

Shi, B. Environmental Impact Evaluation of Typical Beamhouse Processes in Leather Manufacture Based on Water Settleability 473

Shi, B. Biodegradability of Wastewater from Enzymatic Soaking and Unhairing Processes in Leather Manufacture. . . . 217

Siggel, L. Computer Modelling of a Type-I Collagen Fibril in Water. I. Model Development and Validation 179

Sionkowska, A. X-ray Studies of a Collagen Material for Leather Production Treated with Chromium Salt 9

Siva, M. S. Interaction of Aluminum and Hydrolysable Tannin Polyphenols: An Approach to Understanding the Mechanism of Aluminum Vegetable Combination Tannage 317

Smiechowski, K. X-ray Studies of a Collagen Material for Leather Production Treated with Chromium Salt 9

Sreeram, K. J. High Exhaust Chrome-Aluminum Combination Tanning: Part I. Optimization of Tanning 86

Stauffer, D. M. The Effect of Ultrasound on Bovine Hide Collagen Structure 274

Steele, S. Appplication of Molecular Techniques to Identify Bacteria Isolated from the Leather Industry 140

Stockman, G. Alternative Solutions for Fungal Protection of Packaged Wet Blue 461

Sun, D. Biodegradability of Wastewater from Enzymatic Soaking and Unhairing Processes in Leather Manufacture. . . . 217

Sundar, V. J. Sulphide Free Unhairing - Studies on Ozone Based Depilation 231

Suthanthararajan, R. Evaluation of Sludge Behavior in Upflow Anaerobic Sludge Blanket Reactor for Tannery Wastewater Treatment. . . . 18

Taracena-Sanz, F. Infrared Drying: A Leather Finishing Application 105

Taylor, M. M. Use of Enzymatically Modified Gelatin and Casein as Fillers in Leather Processing 169

Taylor, M. M. Preparation and Characterization of Biopolymers Derived from Enzymatically Modified Gelatin and Whey 235

Taylor, M. M. Effect of Genipin on the Thermal Stability of Hide Powder 362

Thanikaivelan, P. A New Leather-making Process for Meeting Eco-label Standards: Processing of Goatskins. . . . 192

Thanikaivelan, P. Single Step Hair Removal and Fiber Opening Process: Simultaneous and Successive Addition of Protease and a-Amylase 388

Tunay, O. Residual COD Reduction in Biologically Treated Leather Tanning Effluents by Advanced Treatment Processes 123

Uluc, D. Determining the Useability of Photosensitizers as Biocides in the Soaking Process 66

Umamaheswari, R. Evaluation of Sludge Behavior in Upflow Anaerobic Sludge Blanket Reactor for Tannery Wastewater Treatment. . . . 18

Unni Nair, B. Wet White Leather Processing: A New Combination Tanning System 58

Unni Nair, B. High Exhaust Chrome-Aluminum Combination Tanning: Part I. Optimization of Tanning 86

Unni Nair, B. Tannic Acid-Phosphonium Combination: A Versatile Chrome-free Organic Tanning 161

Unni Nair, B. A New Leather-making Process for Meeting Eco-label Standards: Processing of Goatskins. . . . 192

Vasek, V. Development of a Control Algorithm for the Optimized Soaking of Cured Hides 309

Vedaraman, N. Sulphide Free Unhairing - Studies on Ozone Based Depilation 231

Venba, R. Studies on the Influence of Proteolytic Enzymes in Leather Dyeing 435

Wang , H. A New Pretannage with Glyoxal and N-Thioureaidopromellitamic acid for High Exhaust Chrome Tannage 81

Wenzel, W. Auxiliaries in Leather Finishing 23

Wess, T. J.	X-ray Studies of a Collagen Material for Leather Production Treated with Chromium Salt	9
Yao, K.	Biodegradability of Wastewater from Enzymatic Soaking and Unhairing Processes in Leather Manufacture	217
Yaseothai, A.	Studies on the Influence of Proteolytic Enzymes in Leather Dyeing	435
Yelmez, Z. B.	Residual COD Reduction in Biologically Treated Leather Tanning Effluents by Advanced Treatment Processes	123
Zarlok, J.	X-ray Studies of a Collagen Material for Leather Production Treated with Chromium Salt	9
Zhang, T.	The Composition Analysis of Organic Acid Masked Aluminum Tanning Solutions by Ferron Assay and GFC	260
Zhang, T.	Composition and Structural Analysis of Organic Acid Masked Aluminum Tanning Solutions Using ^{27}Al NMR	381
Zhou, X.	A New Pretannage with Glyoxal and N-Thioureaidopromellitamic acid for High Exhaust Chrome Tannage	81
Zitzumbo-Guzman, R.	Infrared Drying: A Leather Finishing Application	105